



313835



"Brown, Ken"
<KBrown@ITW.com>

To

12/23/2008 12:03 PM

Subject FW: Dayton Dump Access

History:

This message has been replied to.

Here is my response to their latest response.

From: Brown, Ken
Sent: Tuesday, December 23, 2008 12:02 PM
To: 'Griffin, Randall'
Subject: RE: Dayton Dump Access

Randall,

Thank you for the response. I appreciate your offer of monitoring data pursuant to BUSTR but it may not include the analytes of interest and it does not provide the same information as Vertical Aquifer Sampling (VAS). We have submitted FOIA requests in the past with BUSTR so I will review the latest DP&L information that we have and get back to you on your offer. Responses to your other points are provided below:

1. There would be a single well on DP&L property.
2. The well would stay in place for synoptic sampling events for a period of at least one year. VAS sampling would occur as the location is drilled.
3. Groundwater flow in the vicinity of the South Dayton Dump Site is highly variable and not well defined based on years of monitoring by the Site owners. The wells installed as part of the VAS program are intended to fill that data gap. VAS 24 and 25 will be installed in January 2009.
4. The analytical suite for the proposed VAS location and well on DP&L property would be as proposed initially. The VAS data provided did not include results for the entire analytical suite since some results were below detection limits or relevant standards.

We would appreciate DP&L cooperation in this matter.

Thanks,

Ken

From: Griffin, Randall [mailto:Randall.Griffin@DPLINC.com]
Sent: Monday, December 22, 2008 10:28 AM
To: Brown, Ken
Subject: RE: Dayton Dump Access

The attached letter is going out today by regular mail.

Randall V. Griffin
937-259-7221

From: Brown, Ken [mailto:KBrown@ITW.com]
Sent: Sunday, December 21, 2008 12:44 PM
To: Griffin, Randall
Subject: RE: Dayton Dump Access

Randall,

Please let me know at your earliest possible convenience where DP&L stands on our request. I realize that the holidays are nearly upon us but appreciate any feedback you can provide before the end of the year.

Thanks,

Ken

From: Griffin, Randall [mailto:Randall.Griffin@DPLINC.com]
Sent: Wednesday, December 17, 2008 9:02 AM
To: Brown, Ken
Subject: Dayton Dump Access

In your letter of December 17, 2008, you reference my letter of May 8, 2008 and an e-mail response that you made to that letter on June 6, 2008. I apologize if I overlooked that response, but it is not in my e-mail folders or my hard copy file. Could you please forward that June 6, 2008 e-mail to me? I will make every effort to follow-up on this before the end of the week.

Randall V. Griffin
Chief Regulatory Counsel
The Dayton Power and Light Company
1065 Woodman Drive
Dayton, OH 45432
937-259-7221 (w)
937-479-8983 (cell)
937-259-7813 (fax)
randall.griffin@dplinc.com

*** CONFIDENTIALITY NOTICE ***

This electronic mail message and any attachments to this electronic mail message contain confidential information belonging to the originator, and may be attorney client privileged or constitute inside information. It is intended only for the use of the individual(s) listed as the recipient(s). If you are not one of the intended recipient(s), you are hereby notified that any disclosure, copying, distribution, or the taking of any action in reliance on the contents of the electronically mailed information is strictly prohibited. If you have received this electronic mail message in error, please forward the electronic mail message to security@dplinc.com and then *remove all traces of the electronic mail message from your system.*

*** DPL, Inc. ***

*** CONFIDENTIALITY NOTICE ***

This electronic mail message and any attachments to this electronic mail message contain confidential information belonging to the originator, and may be attorney client privileged or constitute inside information. It is intended only for the use of the individual(s) listed as the recipient(s). If you are not one of the intended recipient(s), you are hereby notified that any disclosure, copying, distribution, or the taking of any action in reliance on the contents of the electronically mailed information is strictly prohibited. If you have received this electronic mail message in error, please forward the electronic mail message to security@dplinc.com and then *remove all traces of the electronic mail message from your system.*

*** DPL, Inc. ***
